

**Tool Name:** nagg

**Syntax:**

```
nagg -h  
nagg [-n number] [-t list | -l file] [-g criterion] [-S] [-A seconds]  
[-d directory] [-O origin] [-D domain] INPUT...
```

**Purpose:**

To manipulate granules stored in NPP files into more easily processed NPP files.

**Description:**

The command line utility `nagg` is the utility for grouping NPP granules into aggregate and package files.

Aggregates include time contiguous and gap-filled series of the same type of granules together in the same file. Packages include different, but related type granule aggregates with the same temporal and spatial extent together in the same file.

Input parameter `INPUT` is a list of one or more NPP files with the granules to aggregate and/or package.

Output of `nagg` is a file or set of files named according to the NPP file naming convention. Output files are aligned with the bucket boundary. For more information on bucket boundaries, see *JPSS Common Data Format Control Book – External Volume I*, pp. 131-133. Fill granules are generated when there are no data granules available in the input files for "slots" in a bucket. Leading and trailing fill granules are not generated for the first and last output files respectively. Therefore, first and last output files may contain fewer granules than requested.

The default behavior of `nagg` is to aggregate corresponding geolocation granules stored in an external geolocation file(s). The names of the geolocation file(s) can be found from the value(s) of an `N_GEO_Ref` attribute in the input file. The names of the output geolocation file(s) correspond to those of the primary product. `nagg` will fail if the input geolocation file is unavailable. The aggregating of geolocation granules can be overridden with the `-g no` command option which directs `nagg` to not use or look for geolocation input granules or files and to not produce geolocation output granules or files.

Geolocation file names can be approximate such that only the beginning parts up to the creation date are matched. Suppose the sensor data file defines its geolocation file as:

GMTCO\_npp\_d20100906\_t0701368\_e0703013\_b00004\_c20111024161933653314\_noaa\_ops.h5. `nagg` will accept any file matching the following pattern and will use the one with the latest creation timestamp: GMTCO\_npp\_d20100906\_t0701368\_e0703013\_b00004\_c\*.h5.

The `-g strict` command option can be used to tell `nagg` that the external geolocation file name must exactly match the `N_GEO_Ref` value.

`nagg` is non-destructive. It will not overwrite existing files.

## Limits Defined:

NAGG_Granule_info_max	10000	Maximum number of granules managed
NAGG_Product_list_max	30	Maximum number of products requested
NAGG_outputfiles_max	30	Maximum number of output files

See “Appendix 2” in the *NPP Aggregation Tool Components* document for a complete list of size definitions in the `nagg` tool.

## Other Considerations:

- `nagg` can de-aggregate files by setting `-n 1` and operating on aggregate files.
- `nagg` can aggregate files by setting `-n N` and operating on a directory of single granule files.
- `nagg` can re-aggregate files by setting `-n N` to a number different from the number of granules in the input files.

## Command Line Options and Parameters:

`-h, --help`

Use to display the command syntax and to list valid granule types and packaging groupings.

`-t list, --type=list`

`list` specifies a comma separated list of NPP record type mnemonics. Unless `-s` is specified, the granule types will be packaged together. Types must be compatible to be packaged together. Use `-h` to list valid package groupings. If `-t` is not specified, `-g <product>` must be given to aggregate only the geolocation product granules.

`-n N, --number=N`

`N` is the number of granules of each product in each aggregate file and must be greater than zero. If this option is not specified, the default value of 1 (single granule files) will be used.

`-g criterion, --geolocation=criterion`

`criterion` is the criterion used for searching the geolocation granules. Valid values for `criterion` are the following:

<code>no   0</code>	Aggregate product files without geolocation input or output
<code>yes   1</code>	Allow approximate matching of geolocation input file names (default)
<code>strict   2</code>	Require exact matching of geolocation input file names
<code>&lt;product&gt;</code>	Aggregate geolocation product <code>&lt;product&gt;</code> only. This excludes the use of <code>-t</code> .

`-l file`

`file` is used by `nagg` as an example of how to process data. Options on the command line override the example file. If both `-l` and `-t` are omitted, then the first NPP data product file encountered will be used as the example file.

This command line option has not yet been implemented.

-A *seconds*

*seconds* is the number of seconds in each aggregate file. The aggregation's size is a fixed number of granules per file equal to seconds divided by the period of the granule rounded up to the next integer number of granules. The formula for this is

$$\text{NumGranules/File} = \text{seconds/GranulePeriod}$$

where

NumGranules/File is the number of granules in the aggregated file,

*seconds* is the number of seconds that are used to determine the size of the aggregated file, and

GranulePeriod is the number of seconds worth of data held by each granule.

If, for example, *seconds* is set to 60 and GranulePeriod is .7 seconds per granule, then the following steps show the calculation:

Calculation	Comments
NumGranules/File = 60 seconds/.7seconds/granule	This is the setting of this parameter divided by the granule period.
NumGranules/File = 85.71 granules	This is the actual value of the calculation.
NumGranules/File = 86 granules	This is the value of the calculation rounded up to the next integer.

If -l, -t, -n, and -A are omitted, then the first NPP data product file encountered will be used to determine the -t list and -n number.

This command line option has not yet been implemented.

-S, --simple

Simple aggregates are produced. Each type is packaged separately. All granule types including geolocation products are packaged in one file.

-d *directory*, --directory=*directory*

Directory where the output files should be placed. The default is the current working directory. The tool will fail if the directory does not exist.

-O *origin*

The origin identifier is a four-character string in the output file name. Only the first four characters will be used. If fewer than four characters are specified, the origin will be pre-pended with the character "X". The default is "XXXX".

-D *domain*

The domain identifier is a three-character string in the output file name. Only the first three characters will be used. If fewer than three characters are specified, the domain will be pre-pended with the character "X". The default is "XXX".

**--debug**

In debug mode, all of the granules in the input files including those not specified by the `-t` list are read in, all of the granules are displayed, and the execution is ended without generating the normal output files. Note that this option is intended for tool debugging. Files or output generated should not be used for production purposes: the behavior of debug mode may change from version to version.

**INPUT**

*INPUT* is a list of one or more NPP files.

**Exit Status:**

0	Succeeded.
>0	An error occurred.

---

**Version: 1.3.0**

Last revised: 2012/7/26