
NPP Aggregation Tool Components

March 8, 2012

**Albert Cheng
Larry Knox
Elena Pourmal**



Copyright Notice and License Terms for HDF NPP Aggregation Tool (nagg)

HDF NPP Aggregation Tool (nagg)

Copyright 2011-2014 by The HDF Group.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted for any purpose (including commercial purposes) provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the following disclaimer in the documentation and/or materials provided with the distribution.
3. In addition, redistributions of modified forms of the source or binary code must carry prominent notices stating that the original code was changed and the date of the change.
4. All publications or advertising materials mentioning features or use of this software are asked, but not required, to acknowledge that it was developed by The HDF Group and credit the contributors.
5. Neither the name of The HDF Group nor the name of any Contributor may be used to endorse or promote products derived from this software without specific prior written permission from The HDF Group or the Contributor, respectively.

DISCLAIMER:

THIS SOFTWARE IS PROVIDED BY THE HDF GROUP "AS IS" WITH NO WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED. In no event shall The HDF Group or the Contributors be liable for any damages suffered by the users arising out of the use of this software, even if advised of the possibility of such damage.

The software was developed with support from Riverside Technology, Inc. and The National Environmental Satellite, Data and Information Service (NESDIS) under Prime Contract No. DG133E07CQ0055.

This document describes the components of the nagg tool for aggregating and de-aggregating NPP data files. The tool produces a set of NPP data files with the data granules from the original files divided into smaller, larger, or the same size aggregations, according to the specified command line options. The importance of this tool is that it enables NPP data users to work with data in different configurations while having to request and download data only once.

Contents

1. Introduction	4
2. Approach	4
3. nagg Example	4
4. Structures and Variables	7
5. nagg Tool Software Modules	7
5.1. Command Parser Module	7
5.1.1. Public Function: parse_options	7
5.2. Get Granules Module	8
5.2.1. Public Function: nagg_get_granules	8
5.3. Select Granules Module	9
5.3.1. Public Function: select_granules	9
5.4. Write Granules Module	11
5.4.1. Public Function: start_write	11
5.4.2. Public Function: write_granules	12
5.4.3. Public Function: end_write	13
6. Appendix 1: granule_t Structure Members	15
7. Appendix 2: Size Definitions for nagg's Variables	18
8. Appendix 3: Product and Geolocation Product Tables	19
9. Appendix 4: NPOESS Common Terms	24

1. Introduction

nagg is a tool for aggregating JPSS data granules from existing files into new files with a different number of granules per file than in the original files. The tool may be used to create files with larger or smaller aggregations including de-aggregation to one granule per file. Future versions will also package granules of compatible products into a single set of files or separate granules in previously packaged files into unpackaged files with granules of one product in each.

The tool facilitates creating aggregations and/or packaging without requesting and downloading the same data more than once.

2. Approach

The nagg tool is intended to rearrange existing data files into new files with different aggregation sizes or different package combinations of compatible products. The tool creates copies of the existing data and updates metadata to reflect the new aggregation. When required it also creates fill granules with calculated timestamps and fill values for other metadata and for raw data, using existing granules as a pattern. For all operations the tool relies only on information available in the original files. It doesn't have access to information used to generate the files.

nagg has been implemented with several modules to handle different phases of the process. The "Command Parser" module processes the options specified on the command line and passes them to the other modules. The "Get Granules" module produces a table of all the granules in the input files (see Figure 1). The "Select Granules" module sorts the table, determines the output file names and characteristics, and specifies the writing of the granules to the output files. The "Write Granules" module uses the HDF5 library to create the output files and write the granules as specified by the "Select Granules" module according to the *JPSS Common Data Format Control Books*.

3. nagg Example

How does the nagg tool work? This example uses a simple command to create new files each containing 3-granule aggregations of REDRO granules from all the files with names matching the pattern REDRO*.h5 in the current directory:

```
nagg -n 3 -t REDRO ./REDRO*.h5
```

Each REDRO*.h5 file has an attribute named /N_GEO_Ref whose value is the name of a geolocation file containing the corresponding geolocation granules. If these geolocation files are present, new geolocation files will also be created to match the new 3-granule REDRO files. If the files are not present the tool will fail.

The nagg tool performs these steps to create the new files:

1. Parse the command line flags, their values, and file names.
2. Read data from the input files and the corresponding geolocation files to create a table of granule information.

3. Sort the granules by first Granule ID, then DPID, then by GranuleVersion as shown in Figure 1 below.
4. Select granule aggregations of size specified by the `-n` flag and identify the aligned boundaries between aggregations according to the *Common Data Format Control Books*. The beginning and ending files may be partial aggregations depending on the available granules and the particular boundaries for the aggregation size. The tool will create fill granules for any missing granules within the sets of available granules. Preceding and trailing fill granules are not written to the first and to the last file respectively.
5. Create files with filenames as specified by the Control Books for each aggregation, and copy the existing data and write fill data for any fill granules to the files.

Figure 1: Example of a granule table produced by the “Get Granules” module and sorted by the “Select Granule” module.

Granule ID	DPID	GranuleIndex	GranuleVersion	BeginningTime	EndingTime	More fields See Appendix 1
NPP001212767892	REDRO	0	A1	1422244825812163	1422244855612163	
NPP001212767892	GCRIO	0	A1	1422244825812163	1422244855612163	
NPP001212768212	REDRO	1	A1	1422244857812163	1422244887612163	
NPP001212768212	GCRIO	1	A1	1422244857812163	1422244887612163	
NPP001212768532	REDRO	2	A1	1422244889812163	1422244919612163	
NPP001212768532	GCRIO	2	A1	1422244889812163	1422244919612163	
NPP001212768852	REDRO	3	A1	1422244921812163	1422244951612163	
NPP001212768852	GCRIO	3	A1	1422244921812163	1422244951612163	
NPP001212769172	REDRO	4	A1	1422244953812163	1422244983612163	
NPP001212769172	GCRIO	4	A1	1422244953812163	1422244983612163	
NPP001212769492	REDRO	0	A1	1422244985812163	1422245015612163	
NPP001212769492	GCRIO	0	A1	1422244985812163	1422245015612163	
...	

4. Structures and Variables

For each granule, the tool gets metadata information needed to produce the output files and stores it in a structure shown in Appendix 1: “granule_t Structure Members”. See page 15 for more information.

Appendix 2: “Size Definitions for nagg’s Variables” shows miscellaneous variables and their values. Some values affect the current capabilities of nagg. For example, the tool cannot process more than 500 granules (NAGG_Granules_selected_max) or produce more than 30 output file (NAGG_outputfiles_max) . See page 18 for more information.

5. nagg Tool Software Modules

This section describes the functions of the Command Parser, Get Granules, Select Granules, and Write Granules modules.

5.1. Command Parser Module

Purpose:

To parse the command line options, validate the option values, and set the option variables so that the tool may execute according to user request.

5.1.1. Public Function: parse_options

```
parse_options(int argc, char * const argv[])
```

Parameters:

argc IN: number of elements in argv

argv IN: the list of command options

Return Values:

0 if successful; call `leave(EXIT_FAILURE)` if it encounters irrecoverable errors such as illegal options or bad option values.

Description:

The `parse_options()` function uses the standard `getopt()` function to parse the command options. It will set up the values of the following global variables during its execution.

Option	Global Variables	Description
-n	ngranulesperfile	The number of granules per product in each output file. Default is 1.
-t	products_arg	A link list of products to store in each output file
	nproducts	Number of products specified in -t flag.
-d	outDir	Directory name in which output files are generated. Default is NULL (generate files in the current directory).
-O	origin_arg	Origin identifier of 4 characters. Default is "XXXX".
-D	domain_arg	Domain identifier of 3 characters. Default is "XXX".
-g	geofiles_arg	An enum variable representing different geolocation granules selection criterion of "no"(0), "yes" (1), and "strict"(2).

<input_files> ...

inputfiles A link list of input files.
 nininputfiles Number of elements in *inputfiles*.

5.2. Get Granules Module

Purpose:

To populate the granule table with metadata from the input files.

5.2.1. Public Function: nagg_get_granules

```
nagg_get_granules(char **file_list, int number_of_files,
  char **products_list, int nproducts, geolocation_t geofiles_arg,
  char **geoproduct granule_p_t, *granule_info_p[], int
  *number_of_granules_p)
```

Parameters:

file_list	IN: list of files containing granules to be added to the granule table.
number_of_files	IN: number of file names in the list.
products_list	IN: list of product types for which granules will be written to a file.
nproducts	IN: number of products types in the list.
geofiles_arg	IN: enum value from -g command option (default GEOFILE_YES).
geoproduct	OUT: address of variable to return the DPID of the geolocation product.

<code>*granule_info_p[]</code>	INOUT: address of the granule table to be populated.
<code>*number_of_granules_p</code>	INOUT: address of variable for number of granules put in the table.

Return Values:

0 if successful, -1 otherwise

Description:

The `nagg_get_granules()` function opens and reads the files in the list provided by the command parser, and then it puts the values of the attributes necessary for re-aggregating the granules in the members of an instance of the `granule_t` structure which is added to the granule table. Unless the `-g no` option is specified or the file is a geolocation file, the file specified by the file's `N_GEO_Ref` attribute will also be opened and read, and its granules added to the granule table.

Error messages will be returned if a file specified is not an HDF5 file, if the file does not exist or cannot be accessed due to insufficient file permissions, or if the file cannot be opened due to an HDF5 failure. The tool will not continue if any of these errors are encountered.

The attributes from which granule information is gathered are attributes of several different objects in the file. Some are attributes of the root group. Others are attributes of the product groups which are sub-groups of the `/Data_Products` group. The function iterates through all sub-groups of `/Data_Products` and collects granule information from the groups and their aggregate and granule datasets.

5.3. Select Granules Module**Purpose:**

To select granules from the given `granule_info` table that matches one of the products in the given products list or the geolocation product according to the given number of granules per file.

This module returns a list of selected granules, including fill granules, to be written to the output file(s).

5.3.1. Public Function: select_granules

```
select_granules(granule_p_t granule_info[], int *_gindex, char
**products_list, int nproducts, int total_nproducts, char *geoproduct,
granule_p_t granules_selected[], int ngranulesperfile, int *_granules_remain,
int *_total_granules_file)
```

Parameters:

<code>granule_info</code>	IN: table of granules for selection.
---------------------------	--------------------------------------

*_gindex	INOUT: index of the next available granule in the granule_info for selection. It reaches the end of the table if _granules_remain is equal to 0.
**products_list	IN: the list of products to match.
nproducts	IN: number of elements in products_list.
total_nproducts	IN: number of products and the geolocation product if wanted.
*geoproduct	IN: geolocation product (NULL if not wanted.)
granules_selected	INOUT: a table of selected granules for output. It is expected that sufficient space has been allocated for granules_selected to store all granules selected.
ngranulesperfile	IN: number of granules of each product per output file.
*_granules_remain	INOUT: number of granules in the granule_info table available for selection.
*_total_granules_file	OUT: number of granules in the granules_selected table.

Return values:

Returns SUCCEED (0) if success; FAIL (-1) otherwise.

If return values is FAIL, the values of the OUT or INOUT parameters are undefined.

Description:

The select_granules function selects granules that will fit in the output file according to the bucket alignment boundary. The following is a description of the algorithms used.

nagg algorithm in the calculation of bucket alignment:

Let N be the number of granules requested by the nagg user to re-aggregate the NPP product files.

Let T_g be the duration of the first selected granule (This value is different for different products and is defined in the products table).

Then $T_{bucket} = N * T_g$ seconds.

Let A_n be the n^{th} bucket since epoch.

Let A_{sn} and A_{en} be the starting and ending time of A_n .

Let G_s be the beginning time of the first selected granule.

Then

$$A_n = \text{floor}(G_s / T_{bucket})$$

$$A_{sn} = A_n * (T_{bucket})$$

$$A_{en} = A_s + T_{bucket}$$

How nagg adds fill granules to produced files:

First produced file	For the first file, if the starting time of the first selected granule is bigger than Asn, no fill granules are added before copying existing granules to the new file. This will produce a partial file (a file with fewer granules than requested).
Second to n th -1 files	N existing granules per product requested are copied to each of the new files, and fill granules are inserted in place of any missing granules.
Last (n th) file	Remaining granules per product requested are copied to the last file. If the ending time of the last granule is less than the ending time of the last bucket, no fill granules are added. This will produce a partial file.

5.4. Write Granules Module

Purpose:

To create output files and write granules as directed.

5.4.1. Public Function: start_write

```
start_write(const char **outfiles, int noutfiles, const char *outgeofile,
            char **products_list, int nproducts, const char *creationdate,
            const char *creationtime, int ngranulesperfile)
```

Parameters:

outfiles	IN: list of file names to be created for writing an output aggregation
noutfiles	IN: number of names in the outfiles list.
outgeofile	IN: name of the corresponding geolocation file, or null.
products_list	IN: list of DPIDs, one for each product. Only one product is supported for this version.
nproduct	IN: number of DPIDs in the products_list argument.
creationdate	IN: date of creation of the output files (for writing to the N_HDF_Creation_Date attribute)
creationtime	IN: time of creation of the output files (for writing to N_HDF_Creation_Time attribute).
ngranulesperfile	IN: number of granules in each aggregation.

Return values:

0 if successful, -1 otherwise

Description:

The `start_write()` function is the first function called when writing an aggregation of granules. For a single product with the corresponding geolocation granules in a separate file, `start_write()` creates the product and geolocation output files. When multiple products are supported in the future, for the `-S` nagg tool option, `start_write()` will create an output file for each product for each aggregation of granules and the geolocation file if geolocation granules are aggregated separately. When packaging is supported, `start_write()` will create one output file for all of the products in an aggregation.

All of the granules selected for an aggregation will be written to the output files before any granules are selected for the next aggregation. The granules within an aggregation may be written in any order and typically will be written one to each output file in rotation. The Write Granules module creates an array of `product_info_t` structures to keep track for each product of output filenames, input and output file handles, number of granules written, and a pointer to the previously written granule.

The `product_info_t` structure is shown below.

```
typedef struct {
    const char dpid[DPID_size+1];
    hid_t infile;
    hid_t outfile;
    const char * outfilename;
    int last_i_granule;
    int granules_written;
    granule_p_t prev_granule;
} product_info_t;
```

A `product_info_t` structure is created and populated for each product and geolocation file by the `start_write()` function. The `write_granules()` function will then select the `product_info_t` for each granule that matches its DPID. The `product_info_t` for the separate geolocation file is created last so that its index will always be `nproducts`.

The `start_write()` function also writes three attributes to the root group of the files: `N_GEO_Ref`, for files except the geolocation file, `N_HDF_Creation_Date`, and `N_HDF_Creation_Time`. Values for these attributes are generated by nagg with the new geolocation file name and the current time.

5.4.2. Public Function: write_granules

```
write_granules(granule_p_t granule, int i_granule)
```

Parameters:

granule	IN: pointer to a <code>granule_t</code> structure containing information about a granule in an input file.
i_granule	IN: the index of this granule in the aggregation.

Return Values:

0 if successful, -1 otherwise

Description:

The `write_granules()` function is called for each granule selected to be written to an aggregation and is responsible for writing most of the data and attributes to the new file. The values that this function writes may be from the original file or may be generated by the nagg tool. The function does the following:

- Selects the `product_info_t` structure matching the granule's product ID (DPID) to find the correct output file.
- Opens the input file specified by `granule->file_in`.
- Initializes the output file when first called with a granule.
 - Copies root group attributes except those written by `start_write()` from the input file to the output file.
 - Creates a group structure in the file by creating product groups in `/All_Data` and `/Data_Products`. Product groups in `/All_Data` are named `<productname>_All`; those in `/Data_Products` are named `<productname>`.
 - Copies datasets from the `/All_Data` group in the input file to the `/All_Data` group in the output file; resizes the datasets for the new aggregation size.
 - Copies attributes from the `/Data_Products/<productname>` group in the input file to the `/Data_Products/<productname>` group in the output file.
- Copies the `/Data_Products/<productname>/<productname>_Gran_n` dataset for the granule in the input file to the dataset for the granule in the output file. References and metadata that are specific to the new file will be overwritten in subsequent steps.
- Copies the granule's hyperslab for each dataset in `/All_Data` from the input file to the output file creating a region reference to the new location in the granule's new file's `/Data_Products/<productname>/<productname>_Gran_n` dataset
- Creates the `/Data_Products/<productname>/<productname>_Aggr` dataset with object references to all the datasets in the `/All_Data/<productname>` group. Copies attributes from the dataset in the input file to the dataset in the output file.
- Copies values for the dataset's `AggregateBeginningDate`, `AggregateBeginningGranuleID`, `AggregateBeginningOrbitNumber`, and `AggregateBeginningTime` from the first granule in the aggregation.
- Increments the value of the variable that keeps track of the number of granules written.

5.4.3. Public Function: end_write

`end_write`

Parameters:

There are no parameters for the `end_write` function

Return Values:

0 if successful, -1 otherwise

Description:

For each output file in the aggregation, the `end_write()` function checks to see if the specified number of granules for an aggregation has been written to the file. If not, error status will be returned and an error message displayed. The function also does the following:

- Update `AggregateEndingDate`, `AggregateEndingGranuleID`, `AggregateEndingOrbitNumber` and `AggregateEndingTime` from the last granule in the aggregation.
- Update `AggregateNumberGranules` with the number of granules written.
- Close the file.

6. Appendix 1: granule_t Structure Members

Name	Type	Description (from CDFCB Vol V, Table 4.4.4)	Source
product_id	char[]	5 character DPID	Look up product_name in table
product_name	char[]	Collection Short Name	Name of group in /Data_Products
granule_input_index	int	Index of the granule's dataset in the input file	Nagg tool
		(The rest of these descriptions are the definitions of the attributes in the column to the right. These may need revision.)	
granule_id	char[]	The unique identifier for each RDR granule composed of the concatenation of two components: (1) The three character satellite identifier [alias "Platform_Short_Name"] (2) A zero left filled, 12 character number specifying the number of tenths of a second since the first ascending node after launch	Attribute /<Data_Products /<product group> /<product_Gran_n dataset> /N_Granule_ID
granule_version	char[]	Indicates the version number of the granule that occurs as the result of an automatic repair of a granule, an IDPS operator commanded re-execution of a granule, or a manual execution of a granule.	Attribute /<Data_Products /<product group> /<product_Gran_n dataset> /N_Granule_Version
granule_version_number	Int	/*granule version number - derived from granule - version: N/A=>-1, An=>n	

Name	Type	Description (from CDFCB Vol V, Table 4.4.4)	Source
granule_start_time_IET	unsigned long long	The time of the beginning of the temporal range of the data contained in the granule expressed in IET.	Attribute /<Data_Products /<product group> /<product_Gran_n dataset> /N_Beginning_Time_IET
granule_end_time_IET	unsigned long long	The time of the ending of the temporal range of data contained in the granule expressed in IET.	Attribute /<Data_Products /<product group> /<product_Gran_n dataset> /N_Ending_Time_IET
beginning_date	char[]	Beginning date of the temporal range (observation date) for a granule.	Attribute /<Data_Products /<product group> /<product_Gran_n dataset> /Beginning_Date
beginning_time	char[]	Beginning time of the temporal range (observation time) for a granule.	Attribute /<Data_Products /<product group> /<product_Gran_n dataset> /Beginning_Time
ending_time	char[]	Ending date of the temporal range (observation date) for a granule.	Attribute /<Data_Products /<product group> /<product_Gran_n dataset> /Ending_Time

Name	Type	Description (from CDFCB Vol V, Table 4.4.4)	Source
orbit_number	uint64_t	The number of the orbit at the start of the data collection for a data granule.	Attribute /<Data_Products /<product group> /<product_Gran_n dataset> /N_Beginning_Orbit_ Number
geofile	char *	Filename of the HDF5 file containing the related geolocation information.	/N_GEO_Ref
file_in	char *		Input file name

7. Appendix 2: Size Definitions for nagg's Variables

```

/*Granule macro definitions */
#define NAGG_Product_Type_size 63      /* up to 63 chars long */
#define NAGG_Granule_ID_size 15        /* Satellite 3 bytes, */
                                        /* 10 microsec: 12 bytes */
                                        /* Total 15 bytes */
#define NAGG_GRANVER_size 15          /* Granule version info size */
#define NAGG_DATE_size 8              /* Granule date info size */
#define NAGG_TIME_size 14             /* Granule time info size */
#define NAGG_Granule_info_max 7000    /* Max number of granules managed */
#define NAGG_Product_list_max 42      /* Max number of products requested
*/
#define NAGG_outputfiles_max 42        /* Max number of output file names */
#define NPP_Product_max 99            /* Max number of NPP Products */
#define NPP_Geo_Location_max 19       /* Max number of NPP Geolocations
products */
#define NAGG_Granules_selected_max 2200 /* Max number of granules selected
*/
                                        /* to output */
#define Product_DPID 0                /* DPID column in Product Table*/
#define Product_sname 1               /* short name column in Product
Table*/
#define Product_lname 2               /* long name column in Product
Table*/

/* NPP data product file name struct */
#define DPID_size 5                   /* DPID name size */
#define DPID_NUM_MAX 30               /* max number of DPIDs */
#define SPACECRAFT_size 3             /* Spacecraft ID */
#define Data_date_size 8              /* Date: YYYYMMDD */
#define Data_time_size 7              /* Time: HHMMSSS */
#define Orbit_number_size 5           /* Orbit: nnnnn */
#define Creation_date_size 20         /* Creation Date:
YYYYMMDDHHMMSSssssss */
#define Origin_size 4                 /* Origin: XXXX */
#define Domain_size 3                 /* Domain: XXX */

```

8. Appendix 3: Product and Geolocation Product Tables

Source: Common Data Format Control Book Vol I; Raytheon: INF_CFG.xml;

JPSS Internal Data Format Control Book Volume III, Appendix A

```
/* NPP Products Table
 * The source is NPOESS Common Data Format Control Book Volume I, pp 173-321,
 * Tables A-2 - A-7, Data Record Identifiers and Data Mapping.
 * column 1: DPID
 * column 2: Product Short Name
 * column 3: Granule Nominal Duration (microseconds). 0 means unknown.
 *           Granule durations extracted from Raytheon's INF_CFG.xml DDS
 *           configuration file.
 * column 4: Geolocation product ID used by this product.
 * Note: any duration value larger than 2*31 (~2 billion) should have a
 * ULL qualifier to avoid constant overflow.
 *
 * 22 Intermediate products from JPSS Internal Data Format Control Book
 * Volume III, Appendix A added to product_table in version 1.5.1.
 */
nppproduct_t product_table[NPP_Product_max] =
{
/* DPID          Short Name          Duration          GPID */
"ICALI",        "CrIMSS-CrIS-AVMP-LOS-IR-IP",      31997000,         "GCRI0",
"ICALM",        "CrIMSS-CrIS-AVMP-LOS-MW-IP",      31997000,         "GCRI0",
"ICCCR",        "CrIMSS-CrIS-CLOUD-CLEARED-RAD-IP", 31997000,         "GCRI0",
"ICISE",        "CrIMSS-CrIS-IR-SURF-EMISSION-IP",  31997000,         "GCRI0",
"ICMSE",        "CrIMSS-CrIS-MW-SURF-EMISSION-IP",  31997000,         "GCRI0",
"ICSTT",        "CrIMSS-CrIS-SKIN-TEMP-IP",         31997000,         "GCRI0",
"ICTLI",        "CrIMSS-CrIS-AVTP-LOS-IR-IP",       31997000,         "GCRI0",
"ICTLM",        "CrIMSS-CrIS-AVTP-LOS-MW-IP",       31997000,         "GCRI0",
"IICMO",        "VIIRS-CM-IP",                      85350000,         "GMODO",
"IICMS",        "VIIRS-CM-IP-SUB",                  85350000,         "GMODO",
"SATMR",        "ATMS-REMAP-SDR",                   31997000,         "GATRO",
"SATMS",        "ATMS-SDR",                         31997000,         "GATMO",
"SCRIS",        "CrIS-SDR",                         31997000,         "GCRSO",
"SOMPS",        "OMPS-NP-SDR",                      37405000,         "GONPO",
"SOMTC",        "OMPS-TC-SDR",                      37405000,         "GOTCO",
"SOMSC",        "OMPS-TC-Cal-SDR",                  2700000000ULL,    "GOSCO",
```

"SOMNC",	"OMPS-NP-Cal-SDR",	27000000000ULL,	"GONCO",
"SVDNB",	"VIIRS-DNB-SDR",	85350000,	"GDNBO",
"SVI01",	"VIIRS-I1-SDR",	85350000,	"GIMGO",
"SVI02",	"VIIRS-I2-SDR",	85350000,	"GIMGO",
"SVI03",	"VIIRS-I3-SDR",	85350000,	"GIMGO",
"SVI04",	"VIIRS-I4-SDR",	85350000,	"GIMGO",
"SVI05",	"VIIRS-I5-SDR",	85350000,	"GIMGO",
"SVM01",	"VIIRS-M1-SDR",	85350000,	"GMODO",
"SVM02",	"VIIRS-M2-SDR",	85350000,	"GMODO",
"SVM03",	"VIIRS-M3-SDR",	85350000,	"GMODO",
"SVM04",	"VIIRS-M4-SDR",	85350000,	"GMODO",
"SVM05",	"VIIRS-M5-SDR",	85350000,	"GMODO",
"SVM06",	"VIIRS-M6-SDR",	85350000,	"GMODO",
"SVM07",	"VIIRS-M7-SDR",	85350000,	"GMODO",
"SVM08",	"VIIRS-M8-SDR",	85350000,	"GMODO",
"SVM09",	"VIIRS-M9-SDR",	85350000,	"GMODO",
"SVM10",	"VIIRS-M10-SDR",	85350000,	"GMODO",
"SVM11",	"VIIRS-M11-SDR",	85350000,	"GMODO",
"SVM12",	"VIIRS-M12-SDR",	85350000,	"GMODO",
"SVM13",	"VIIRS-M13-SDR",	85350000,	"GMODO",
"SVM14",	"VIIRS-M14-SDR",	85350000,	"GMODO",
"SVM15",	"VIIRS-M15-SDR",	85350000,	"GMODO",
"SVM16",	"VIIRS-M16-SDR",	85350000,	"GMODO",
"TATMS",	"ATMS-TDR",	31997000,	"GATMO",
"REDRO",	"CrIMSS-EDR",	31997000,	"GCRI0",
"OOTCO",	"OMPS-TC-EDR",	37405000,	"GOTCO",
"VAOOO",	"VIIRS-Aeros-EDR",	85350000,	"GAERO",
"VCBHO",	"VIIRS-CBH-EDR",	85350000,	"GCLDO",
"VCCLO",	"VIIRS-CCL-EDR",	85350000,	"GCLDO",
"VCEPO",	"VIIRS-CEPS-EDR",	85350000,	"GCLDO",
"VCOTO",	"VIIRS-COT-EDR",	85350000,	"GCLDO",
"VCTHO",	"VIIRS-CTH-EDR",	85350000,	"GCLDO",
"VCTPO",	"VIIRS-CTP-EDR",	85350000,	"GCLDO",
"VCTTO",	"VIIRS-CTT-EDR",	85350000,	"GCLDO",
"VI1BO",	"VIIRS-I1-IMG-EDR",	85350000,	"GIGTO",
"VI2BO",	"VIIRS-I2-IMG-EDR",	85350000,	"GIGTO",
"VI3BO",	"VIIRS-I3-IMG-EDR",	85350000,	"GIGTO",
"VI4BO",	"VIIRS-I4-IMG-EDR",	85350000,	"GIGTO",
"VI5BO",	"VIIRS-I5-IMG-EDR",	85350000,	"GIGTO",
"VISTO",	"VIIRS-IST-EDR",	85350000,	"GMTCO",
"VLSTO",	"VIIRS-LST-EDR",	85350000,	"GMTCO",

"VM010",	"VIIRS-M1ST-EDR",	85350000,	"GMGTO",
"VM020",	"VIIRS-M2ND-EDR",	85350000,	"GMGTO",
"VM030",	"VIIRS-M3RD-EDR",	85350000,	"GMGTO",
"VM040",	"VIIRS-M4TH-EDR",	85350000,	"GMGTO",
"VM050",	"VIIRS-M5TH-EDR",	85350000,	"GMGTO",
"VM060",	"VIIRS-M6TH-EDR",	85350000,	"GMGTO",
"VNCCO",	"VIIRS-NCC-EDR",	85350000,	"GNCCO",
"VNHFO",	"VIIRS-NHF-EDR",	85350000,	"GNHFO",
"VOCCO",	"VIIRS-OCC-EDR",	85350000,	"GMTCO",
"VISAO",	"VIIRS-SA-EDR",	85350000,	"GMTCO",
"VSCDO",	"VIIRS-SCD-BINARY-SNOW-FRAC-EDR",	85350000,	"GMTCO",
"VSCMO",	"VIIRS-SCD-BINARY-SNOW-MAP-EDR",	85350000,	"GITCO",
"VSICO",	"VIIRS-SIC-EDR",	85350000,	"GMTCO",
"VSSTO",	"VIIRS-SST-EDR",	85350000,	"GMTCO",
"VSTYO",	"VIIRS-ST-EDR",	85350000,	"GMTCO",
"VSUMO",	"VIIRS-SusMat-EDR",	85350000,	"GMTCO",
"VIVIO",	"VIIRS-VI-EDR",	85350000,	"GITCO",
"REDRS",	"CrIMSS-EDR-SUB",	31997000,	"GCRI0",
"OOTCS",	"OMPS-TC-EDR-SUB",	37405000,	"GOTCO",
"VAOOS",	"VIIRS-Aeros-EDR-SUB",	85350000,	"GAERO",
"VCBHS",	"VIIRS-CBH-EDR-SUB",	85350000,	"GCLDO",
"VCCLS",	"VIIRS-CCL-EDR-SUB",	85350000,	"GCLDO",
"VCEPS",	"VIIRS-CEPS-EDR-SUB",	85350000,	"GCLDO",
"VCOTS",	"VIIRS-COT-EDR-SUB",	85350000,	"GCLDO",
"VCTHS",	"VIIRS-CTH-EDR-SUB",	85350000,	"GCLDO",
"VCTPS",	"VIIRS-CTP-EDR-SUB",	85350000,	"GCLDO",
"VCTTS",	"VIIRS-CTT-EDR-SUB",	85350000,	"GCLDO",
"VISTS",	"VIIRS-IST-EDR-SUB",	85350000,	"GMTCO",
"VLSTS",	"VIIRS-LST-EDR-SUB",	85350000,	"GMTCO",
"VNCCS",	"VIIRS-NCC-EDR-SUB",	85350000,	"GNCCO",
"VNHFS",	"VIIRS-NHF-EDR-SUB",	85350000,	"GNHFO",
"VOCCS",	"VIIRS-OCC-EDR-SUB",	85350000,	"GMTCO",
"VISAS",	"VIIRS-SA-EDR-SUB",	85350000,	"GMTCO",
"VSCDS",	"VIIRS-SCD-BINARY-SNOW-FRAC-EDR-SUB",	85350000,	"GMTCO",
"VSCMS",	"VIIRS-SCD-BINARY-SNOW-MAP-EDR-SUB",	85350000,	"GITCO",
"VSICS",	"VIIRS-SIC-EDR-SUB",	85350000,	"GMTCO",
"VSSTS",	"VIIRS-SST-EDR-SUB",	85350000,	"GMTCO",
"VSTPS",	"VIIRS-ST-EDR-SUB",	85350000,	"GMTCO",
"VSUMS",	"VIIRS-SusMat-EDR-SUB",	85350000,	"GMTCO",
"VIVIS",	"VIIRS-VI-EDR-SUB",	85350000,	"GITCO",
"INCTO",	"OMPS-TC-Oz-Fst-Guess-IP",	37405000,	"GOTCO",

"INPAK",	"OMPS-NP-Ave-Ker-IP",	37405000,	"GOTCO",
"IIROO",	"CrIS-IROZ-Prof-IP",	31997000,	"GCRI0",
"IIROS",	"CrIS-IROZ-Prof-IP-SUB",	31997000,	"GCRI0",
"IMOPO",	"OMPS-NP-IP",	37405000,	"GONPO",
"IVAMI",	"VIIRS-Aeros-Mod1-Info-IP",	85350000,	"GMTCO",
"IVAOT",	"VIIRS-Aeros-Opt-Thick-IP",	85350000,	"GMTCO",
"IVBPX",	"VIIRS-Bright-Pixel-Mod-IP",	85350000,	"GMODO",
"IVCBH",	"VIIRS-CB-Ht-IP",	85350000,	"GMODO",
"IVCDB",	"VIIRS-DualGain-Cal-IP",	85350000,	"ICDBG",
"IVCLT",	"VIIRS-Cd-Cov-Type-IP",	85350000,	"GCLDO",
"IVCOP",	"VIIRS-Cd-Opt-Prop-IP",	85350000,	"GMODO",
"IVCTP",	"VIIRS-Cd-Top-Parm-IP",	85350000,	"GMODO",
"IVICC",	"VIIRS-Cd-Layer-Type-IP",	85350000,	"GITCO",
"IVIIC",	"VIIRS-I-Conc-IP",	85350000,	"GITCO",
"IVIIW",	"VIIRS-I-Wts-IP",	85350000,	"GITCO",
"IVIQF",	"VIIRS-I-Qual-Flags-IP",	85350000,	"GITCO",
"IVIRT",	"VIIRS-I-Refl-Temp-IP",	85350000,	"GITCO",
"IVISR",	"VIIRS-Surf-Refl-IP",	85350000,	"GITCO",
"IVIWT",	"VIIRS-INWCTT-IP",	85350000,	"GMODO",
"IVPCM",	"VIIRS-Parx-Corr-CM-IP",	85350000,	"GMODO",
"IVPCP",	"VIIRS-Parx-Corr-Cd-Opt-Prop-IP",	85350000,	"GMODO",
"IVPTP",	"VIIRS-Parx-Corr-Cd-Top-Parm-IP",	85350000,	"GMODO",
"IVSIC",	"VIIRS-GridIP-VIIRS-Snow-Ice-Cover-Mod-Gran",	85350000,	"GITCO",
"IVSTP",	"VIIRS-Surf-Temp-I",	85350000,	"GITCO"

} ;

```

/* NPP Geolocation Table
 * The source is NPOESS Common Data Format Control Book Volume I, pp 328-9,
 * Table A-8, Geolocation Identifiers.
 * column 1: DPID
 * column 2: Product Short Name
 * column 3: Granule Nominal Duration (microseconds). Granule durations
 * extracted from Raytheon's INF_CFG.xml DDS configuration file.
 * column 4: Geolocation product ID used by this product. Is always NULL.
 * Note: any duration value larger than 2**31 (~2 billion) should have a
 * ULL qualifier to avoid constant overflow.
 *
 * 1 geolocation product from JPSS Internal Data Format Control Book
 * Volume III, Appendix A added to geolocation_table in version 1.5.1.
 */
nppproduct_t geolocation_table[NPP_Geo_Location_max]=

```

```

{
/* DPID      Short Name      Duration      GPID      */
"GATMO",    "ATMS-SDR-GEO",    31997000,    NULL,
"GCRSO",    "CrIS-SDR-GEO",    31997000,    NULL,
"GAERO",    "VIIRS-Aeros-EDR-GEO",    85350000,    NULL,
"GCLDO",    "VIIRS-CLD-AGG-GEO",    85350000,    NULL,
"GDNBO",    "VIIRS-DNB-GEO",    85350000,    NULL,
"GNCCO",    "VIIRS-NCC-EDR-GEO",    85350000,    NULL,
"GIGTO",    "VIIRS-IMG-GTM-EDR-GEO",    85350000,    NULL,
"GIMGO",    "VIIRS-IMG-GEO",    85350000,    NULL,
"GITCO",    "VIIRS-IMG-GEO-TC",    85350000,    NULL,
"GMGTO",    "VIIRS-MOD-GTM-EDR-GEO",    85350000,    NULL,
"GMODO",    "VIIRS-MOD-GEO",    85350000,    NULL,
"GMTCO",    "VIIRS-MOD-GEO-TC",    85350000,    NULL,
"GNHFO",    "VIIRS-NHF-EDR-GEO",    85350000,    NULL,
"GOTCO",    "OMPS-TC-GEO",    37405000,    NULL,
"GOSCO",    "OMPS-TC-Cal-GEO",    27000000000ULL,    NULL,
"GONPO",    "OMPS-NP-GEO",    37405000,    NULL,
"GONCO",    "OMPS-NP-Cal-GEO",    27000000000ULL,    NULL,
"GCRIO",    "CrIMSS-EDR-GEO-TC",    31997000,    NULL,
"GATRO",    "ATMS-REMAP-SDR-GEO",    31997000,    NULL,
"ICDBG",    "VIIRS-MOD-UNAGG-GEO",    85350000,    NULL
};

```

9. Appendix 4: NPOESS Common Terms

Table 3.5.1-1, NPOESS Data Product Common Terms

Term	Definition
Aggregation	Dereferences (or “points”) to an HDF5 group that contains one or more datasets. These datasets are the individual RDR granules. Granules are ordered temporally. The aggregation can be accessed with the HDF5 reference object. For a detailed explanation of aggregations, see Section 3.5.12, DDS Aggregation Methodology.
Attribute	An attribute is a single, named parameter that has one or more values (where more than one value is applicable, the list of values is stored as an array in the NPOESS HDF5 File).
Granule*	Stored purely as an array of bytes (unsigned char) referenced with a single object ID.
HDF5 User Block	A subset of metadata attributes stored in the NPOESS HDF5 File. The User Block can be thought of as a “header” on top of the HDF5 file stored as ASCII and is viewable without the need of the HDF5 API.
Metadata*	Attributes that are attached to datasets and groups within the NPOESS HDF5 file which help identify and describe the data. All of the groups and datasets within the HDF5 file, with the exception of the All_Data hierarchy and the Data_Products Group, have a set of these attributes.
NPOESS Data Product Profile	An XML representation of Granule properties. Each Product Profile describes the contents and properties of a granule (for example, parameter names, data types, data dimensions, measurement units, which dimension is the aggregation dimension). The NPOESS Data Product Profiles are rendered as tables in the CDFCB–X. NPOESS Data Product Profiles are produced for SDRs, TDRs, EDRs, IPs, and associated geolocations.
NPOESS HDF5 File	An aggregation of one or more data product granules with associated metadata. The file organization is depicted with a UML diagram. The granules within a file are described by the Product Profile. The data within the granule is ordered and presented following the Style Guide. An NPOESS HDF5 file is usually one granule type, although multiple granule types are allowed (for example, measurement and geolocation granules delivered together or multiple measurements sharing the same geolocation.) Using the HDF5 API, a user can retrieve granules either singly or together. The organization within the HDF5 file can be explained by using the example of a directory tree. Within the file there is a root directory with two sub-directories, these sub-directories are named “All_Data” and “Data_Products”. The All_Data directory contains all of the data that was requested, and the Data_Products directory contains sub-directories, which help to organize the data, references to allow extraction of the data, and metadata to identify and describe the data.
RDR*	Raw data received from the spacecraft and packaged into HDF5 is referred to as a Raw Data Record (RDR). The data granules composing an RDR are the actual CCSDS application packets from the sensor and don’t directly map into a set of data arrays. Granules that compose the RDR HDF5 files are aggregated application packets for a given sensor.

Term	Definition
Style Guide	Section 3.5.4, Data Product Style Guide, constrains the possible choices for how data is stored within a granule: Grid, Swath, and/or Sparse Array.
UML Diagram (Class Diagram)	Provides a visual depiction of the NPOESS HDF5 file organization

Version: 1.5.1

Last revised: 2013/5/29 (minor update)

2014/1/31 (minor update – size changes only)